

PATENT Customer No. 22,852 Attorney Docket No. 06530.0285-00000

N THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of:

Michael S. H. Chu

Group Art Unit: 3731

Serial No.: 10/000,325

Examiner: Unassigned

Filed: December 4, 2001

For:

ENDOSCOPIC APPARATUS AND

METHOD

Commissioner for Patents and Trademarks Washington, DC 20231

Sir:

RESPONSE TO NOTICE TO FILE **CORRECTED PAPERS**

In response to the communication of December 26, 2001, Applicant submits corrected drawing sheets for filing in this application.

Please associate the enclosed drawings with the application, grant any extensions of time required to enter this response, and charge any additional required fees to our deposit account 06-0916.

By:

Respectfully submitted,

FINNEGAN, HENDERSON, FARABOW, GARRETT & DUNNER, L.L.P.

Dated: January 17, 2002

éslie I. Bookoff, Esq.

Reg. No. 38,084

GARRETT& DUNNER LLP

1300 I Street, NW Washington, DC 20005 202.408.4000 Fax 202.408.4400 www.finnegan.com



United States Patent and Trademark Office

COMMISSIONE UNITED STATES PATENT AND TRADE WASHINGTON, L

Date Mailed: 12/26/2001

APPLICATION NUMBER

FILING/RECEIPT DATE

FIRST NAMED APPLICANT

ATTORNEY DOCKET NUMBL

10/000,325

12/04/2001

Michael S.H. Chu

06530.0285-00

CONFIRMATION NO. 9761

FORMALITIES LETTER

OC000000007230321*

Leslie I. Bookoff, Esq. Finnegan, Henderson, Farabow, Garrett & Dunner, L.L.P. 1300 I Street, N.W. Washington, DC 20005-3315



NOTICE TO FILE CORRECTED APPLICATION PAPERS

Filing Date Granted

This application has been accorded an Application Number and Filing Date. The application, however, is informal since it does not comply with the regulations for the reason(s) indicated below. Applicant is given TWO MONTHS from the date of this Notice within which to correct the informalities indicated below. Extensions of time may be obtained by filing a petition accompanied by the extension fee under the provisions of 37 CFR 1.136(a)

The required item(s) identified below must be timely submitted to avoid abandonment:

- Substitute drawings in compliance with 37 CFR 1.84 because:
 - drawing sheets do not have the appropriate margin(s) (see 37 CFR 1.84(g)). Each sheet must include a top margin of at least 2.5 cm. (1 inch), a left side margin of at least 2.5 cm. (1 inch), a right side margin of at least 1.5 cm. (5/8 inch), and a bottom margin of at least 1.0 cm. (3/8 inch);

A copy of this notice MUST be returned with the reply.

Customer Service Center

Initial Patent Examination Division (703) 308-1202

PART 2 - COPY TO BE RETURNED WITH RESPONSE